

# SAFETY DATA SHEET

SUPER FLOOR FINISH Page 1

Issued: 13/07/2007

Revision No: 2

## 1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY / UNDERTAKING

**Product name:** SUPER FLOOR FINISH

**Product code:** BP 207

**Synonyms:** BRAPACK SUPER FLOOR FINISH

**Use of substance / preparation:** Emulsion floor finish suitable for areas of heavy traffic. The tough long-lasting coat will give a deep gloss that can be maintained by damp mopping or by automatic cleaning machines.

**Company name:** Bio-Productions Ltd

72 Victoria Road

Victoria Industrial Estate

Burgess Hill

West Sussex

RH15 9LH

**Tel:** 0044 (0) 1444 244000

Fax: 0044 (0) 1444 244999

Emergency Contact Number: 0044 (0) 1444 244000 - Office Hours Only

Email: technical@bio-productions.com

## 2. HAZARDS IDENTIFICATION

**Main hazards:** No significant hazard.

## 3. COMPOSITION / INFORMATION ON INGREDIENTS

**Hazardous ingredients:** DIETHYLENE GLYCOL MONOETHYL ETHER 1-5%

EINECS: 203-919-7 CAS: 111-90-0

[Xi] R36

• TRIBUTOXYETHYL PHOSPHATE 1-5%

EINECS: 201-122-9 CAS: 78-51-3

[-] R52/53

## 4. FIRST AID MEASURES (SYMPTOMS)

**Skin contact:** There may be mild irritation at the site of contact.

**Eye contact:** There may be irritation and redness.

**Ingestion:** Nausea and stomach pain may occur.

**Inhalation:** No symptoms.

## 4. FIRST AID MEASURES (ACTION)

**Skin contact:** Wash immediately with plenty of soap and water.

**Eye contact:** Bathe the eye with running water for 15 minutes. Consult a doctor.

**Ingestion:** Wash out mouth with water. Give 1 cup of water to drink every 10 minutes. Consult a doctor.

# SAFETY DATA SHEET

Issued: 13/07/2007

SUPER FLOOR FINISH Page 2

## 5. FIRE-FIGHTING MEASURES

**Extinguishing media:** Suitable extinguishing media for the surrounding fire should be used.

**Protection of fire-fighters:** Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

## 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions:** Refer to section 8 of SDS for personal protection details. Turn leaking containers leak-side up to prevent the escape of liquid.

**Environmental precautions:** Do not discharge into drains or rivers. Contain the spillage using bunding.

**Clean-up procedures:** Small spills can be handled with a mop and water. Large spills should be contained with sand or sawdust and disposed of under local authority regulations.

## 7. HANDLING AND STORAGE

**Storage conditions:** Store in cool, well ventilated area. Protect from freezing. Recommended shelf life of 12 months(1 year) when stored at or below 25 deg C in the original unopened containers.

**Suitable packaging:** Must only be kept in original packaging.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**Respiratory protection:** Respiratory protection not required.

**Hand protection:** Avoid contact with the skin. May cause irritation to sensitive skin if frequent contact with unprotected skin. Wear protective gloves.

**Eye protection:** Avoid contact with eyes. Safety glasses recommended.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**State:** Liquid

**Colour:** White

**Odour:** Characteristic odour

**Evaporation rate:** Moderate

**Solubility in water:** Miscible in all proportions

**Viscosity:** Non-viscous

**Flash point°C:** N/A

**Relative density:** 1.024

**pH:** 8.0

## 10. STABILITY AND REACTIVITY

**Stability:** Stable under normal conditions.

**Conditions to avoid:** Heat.

**Materials to avoid:** Strong oxidising agents. Strong acids.

**Haz. decomp. products:** In combustion emits toxic fumes.

# SAFETY DATA SHEET

Issued: 13/07/2007

SUPER FLOOR FINISH Page 3

## 11. TOXICOLOGICAL INFORMATION

### Hazardous ingredients: DIETHYLENE GLYCOL MONOETHYL ETHER

ORL RAT LD50 5.6 ml/kg

SKN RBT LD50 4.2 ml/kg

### • TRIBUTOXYETHYL PHOSPHATE

ORL RAT LC50 >6.4 mg/kg

ORL RAT LD50 >3000 mg/kg

**Routes of exposure: Refer to section 4 of SDS for routes of exposure and corresponding symptoms.**

## 12. ECOLOGICAL INFORMATION

### Hazardous ingredients: DIETHYLENE GLYCOL MONOETHYL ETHER

BACTERIA 48H EC50 >5000 mg/l

DAPHNIA 48H EC50 >10000 mg/l

FISH FATHEAD MINNOWS 96H LC50 >10000 mg/l

### • TRIBUTOXYETHYL PHOSPHATE

DAPHNIA 48H EC50 75 mg/l

FISH FATHEAD MINNOWS 96H LC50 16 mg/l

**Mobility: Readily absorbed into soil.**

**Persistence and degradability: Biodegradable.**

**Bioaccumulative potential: No bioaccumulation potential.**

**Other adverse effects: Negligible ecotoxicity.**

## 13. DISPOSAL CONSIDERATIONS

**Disposal operations: Consult local regulations for disposal.**

**NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.**

## 14. TRANSPORT INFORMATION

### ADR / RID

UN no: Not Classified.

### IMDG / IMO

UN no: Not Classified.

### IATA / ICAO

UN no: Not Classified.

## 15. REGULATORY INFORMATION

**Hazard symbols: No significant hazard.**

**Safety phrases: KEEP OUT OF REACH OF CHILDREN**

# SAFETY DATA SHEET

Issued: 13/07/2007

SUPER FLOOR FINISH Page 4

S24/25: Avoid contact with skin and eyes.

S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

**Note: The regulatory information given above only indicates the principal regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all applicable national, international and local regulations or provisions.**

## 16. OTHER INFORMATION

**Other information: Polycarboxylates: 15% - 30%**

Non-ionic surfactants - less than 5%

Phosphates - less than 5%

Preservative

Note: Changes made to Sections 1,2,3,7 and 12 as part of revision 2.

**Risk phrases used in s.3: R36: Irritating to eyes.**

R52/53: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

**Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.**